



# Asus X200MA Trackpad Replacement

Replace the trackpad on your Asus X200MA.

Written By: Vanessa Garcia



## INTRODUCTION

Use this guide to replace the trackpad on your Asus X200MA.

---

### TOOLS:

- [Tweezers](#) (1)
  - [Phillips #0 Screwdriver](#) (1)
  - [Spudger](#) (1)
-

## Step 1 — Back Panel



- Remove the following six screws:
    - Six 4 mm Phillips #0 using a phillips screddriver
  - Remove the following one screw:
    - One 14 mm Phillips #0 using a phillips screwdriver
- ☒ The 14mm screw goes in the center.


## Step 2



- Use a plastic or metal spudger to separate the keyboard from the back panel and lift the keyboard out of place.




## Step 3 — Trackpad




- Use the spudger to lift up and remove the black plastic covering.

## Step 4




- Remove thinner white strip by first flipping up black piece at the top of the strip with the tweezers and then pulling it out.

## Step 5 — Mouse



- Remove wider blue strip with tweezers.


## Step 6



- Remove the following eight screws:
  - Eight 3 mm screws using Phillips #0 screwdriver.





## Step 7



- Remove the following two screws after lifting metal plate off:
  - Two 2 mm screws using a Phillips #0 screwdriver.

## Step 8



- Use metal spudger to get in between mouse pad and keyboard and lift off.

To reassemble your device, follow these instructions in reverse order.

